

Date Printed: 07/31/2017 Version 6 Date Reviewed: 07/31/2017

Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

- · Product Identifier: Formolon® Suspension PVC Homopolymer Resin
- · Synonyms: Polyvinyl Chloride Homopolymer
- · Product Code:

608, 614, 616K, 622, 622E, 622F, 622R, 622S, 622W, 676, 676H, 680, 680A, 680H, 680M, 685, 685A, 690, 690F

· CAS Number:

9002-86-2

· Product Use: Resin, extrusion and compounding, plastic molding, molded articles, films and coatings.

· Manufacturer/Supplier:

Formosa Plastics Corporation, Texas 201 Formosa Drive Point Comfort, TX 77978 USA +1 (361) 987-7000

E-Mail: MSDS@fpcusa.com

Formosa Plastics Corporation, Louisiana P.O. Box 271

Baton Rouge, LA 70821 USA

+1 (225) 356-3341

E-Mail: MSDS@fpcusa.com

- European REACH Representative: Intertek France
- Business Division: Vinyl/Suspension PVC
- **Emergency Telephone Number:**

In case of a chemical emergency, contact CHEMTREC (24 hrs) at:

- +1 (800) 424-9300 (United States, Canada, Puerto Rico, Virgin Islands)
- +1 (703) 527-3887 (International & Maritime)

Section 2: Hazards Identification

Hazard Classification:

This material is not classified as hazardous according to the U.S. hazard communication standard. The product is not classified according to the Globally Harmonized System (GHS) for classification and labeling of chemicals.

· Signal Word: Not Applicable

· NFPA Ratings (scale 0 - 4):



Health = 0 Fire = 0 Reactivity = 0

Additional Information:

If you do not understand the hazards or safety precautions described in this data sheet, contact your supervisor or safety administrator before handling this product.

Date Printed: 07/31/2017 Version 6 Date Reviewed: 07/31/2017

Product Identifier: Formolon® Suspension PVC Homopolymer Resin

(Contd. from Page 1)

Section 3: Composition/Information on Ingredients

- · Substances:
- CAS No. Description

9002-86-2 polyvinyl chloride

Section 4: First Aid Measures

· General information: Provide symptomatic and supportive care.

· After Inhalation:

Remove victim to fresh air.

Administer oxygen if breathing is difficult.

Administer artifical respiration if breathing has stopped.

Get medical assistance if irritation or other symptoms develop.

· After Skin Contact:

Wash affected area with soap and water.

Get medical assistance if irritation or other symptoms develop.

After Eye Contact:

In case of accidental contact, immediately flush eyes with water.

Hold eyelids open to ensure adequate flushing.

Get medical assistance if irritation or other symptoms develop.

After Swallowing:

Administer 1-2 glasses of water to dilute ingested material.

Never give anything by mouth to an unconscious person.

Get medical attention.

· Most Important Symptoms and Effects: No further relevant information available.

Section 5: Firefighting Measures

Suitable Extinguishing Agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray.

- · Special Firefighting Hazards: No special firefighting hazards expected.
- Dust Explosivity (Kst) Rating: St 0 Non-explosive dust (Kst = 0 bar-meter/second)

Protective Equipment:

In the event of a fire, wear a NIOSH (USA) or CEN (EU) approved self-contained breathing apparatus (SCBA) and full protective clothing.

· Additional Information:

Formosa Plastics Corporation, U.S.A. conducted dust combustibility testing on Formolon® PVC homopolymer resin as supplied. Test results showed that PVC homopolymer resin with a particle size of approximately 120-130 µm is not combustible. PVC resin with a smaller particle size may have different combustibility characteristics.

Date Printed: 07/31/2017 Version 6 Date Reviewed: 07/31/2017

Product Identifier: Formolon® Suspension PVC Homopolymer Resin

(Contd. from Page 2)

Section 6: Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Avoid dust formation.

Restrict access to keep out unauthorized or unprotected personnel.

Wear appropriate personal protective equipment during all clean-up activities. See Section 8 for more information.

Avoid inhalation and direct contact.

· Environmental Precautions: Keep spilled material out of sewage/drainage systems and waterways.

· Methods for Containment and Clean-Up:

Collect spilled material using a method that controls dust generation such as a high efficiency particulate air (HEPA) vacuum.

Place waste in an appropriate container for disposal.

Use care during clean-up to avoid exposure to the material and injury from broken containers.

Section 7: Handling and Storage

Precautions for Safe Handling:

Avoid inhalation and direct contact.

Avoid dust formation.

No special measures required.

Conditions for Safe Storage:

Store in closed, properly labeled containers.

Protect containers from heat, physical damage, ignition sources and incompatible materials.

Have emergency equipment for fires and spills readily available.

· Additional Information:

If you do not understand the hazards or safety precautions described in this data sheet, contact your supervisor or safety administrator before handling this product.

Section 8: Exposure Controls/Personal Protection

· Occupational Exposure Limits:

9002-86-2 polyvinyl chloride

PEL (USA) Eight-Hour Value: 15* mg/m³

*as total dust; 5 mg/m3 as respirable dust

TLV (USA) Eight-Hour Value: 1* mg/m3

*as respirable dust

- Exposure Controls: Use local exhaust ventilation during dust or mist producing operations.
- · General Protective and Hygienic Measures: Wash thoroughly after handling.

Respiratory Protection:

An industrial hygiene risk assessment is required to determine appropriate respiratory protection.

An air-purifying respirator may be appropriate under limited exposure conditions.

(Contd. on Page 4)

Date Printed: 07/31/2017 Version 6 Date Reviewed: 07/31/2017

Product Identifier: Formolon® Suspension PVC Homopolymer Resin

(Contd. from Page 3)

· Hand Protection:



Work gloves.

Eye/Face Protection:



Safety glasses with side shields.

- · Body Protection: Protective work clothing
- · Additional Information:

If unusual exposures are expected, an industrial hygiene review of work practices, engineering controls and personal protective equipment is recommended.

Section 9: Physical/Chemical Properties

· Form: Powder
· Color: White

· Odorless under normal conditions. Resin may develop a slight odor

if allowed to sit in an unventilated container for prolonged periods of

time.

· Odor Threshold: Not determined. · pH Value: Not applicable. · Melting Point: Not determined. · Boiling Point: Not determined. · Flash Point: Not applicable. · Autoignition Temperature: Not determined. Lower Explosive Limit (LEL): Not applicable. Upper Explosive Limit (UEL): Not applicable. · Vapor Pressure: Not determined. Not determined. Density: · Vapor Density: Not applicable. · Evaporation Rate: Not applicable. · Solubility in Water: Insoluble.

· Partition Coefficient (n-octanol/water): Not determined.

Date Printed: 07/31/2017 Version 6 Date Reviewed: 07/31/2017

Product Identifier: Formolon® Suspension PVC Homopolymer Resin

(Contd. from Page 4)

Section 10: Stability and Reactivity

- · Chemical Stability/Reactivity: Stable under anticipated conditions of use.
- Conditions to Avoid:

Avoid dust formation.

Keep away from heat, sparks and open flames.

- · Possibility of Hazardous Reactions/Incompatible Materials: No dangerous reactions known.
- · Hazardous Decomposition Products: No data available.

Section 11: Toxicological Information

- · Acute Toxicity: Based on available data, the classification criteria are not met.
- · Skin Irritation: Not expected to cause skin irritation.
- · Eye Irritation: Mechanical eye irritation.
- · Respiratory Irritation: May cause respiratory irritation.
- · Sensitization/Allergic Reaction: No data available.
- Additional Toxicological Information:
- · Substances Classified by IARC (International Agency for Research on Cancer):

3

Section 12: Ecological Information

- · Persistence and Degradability: No data available.
- · Bioaccumulative Potential: No data available.

Section 13: Disposal Considerations

Disposal Instructions:

Dispose of waste in accordance with applicable laws and regulations.

Maximize product recovery for reuse or recycling.

Section 14: Transport Information

- · UN Number:
- · DOT, ADR, IMDG, IATA Not Applicable
- · UN Proper Shipping Name:
- · **DOT**, **IMDG**, **IATA** Not Applicable
- · ADR: Not Applicable

(Contd. on Page 6)

Date Printed: 07/31/2017 Version 6 Date Reviewed: 07/31/2017

Product Identifier: Formolon® Suspension PVC Homopolymer Resin

(Contd. from Page 5)

- Transport Hazard Class(es):
- · DOT, ADR, IMDG, IATA
- · Class: Not Applicable
- · Packing Group:
- · DOT, ADR, IMDG, IATA Not Applicable
- Environmental Hazards: Not applicable.
- · Additional Information: This material is not hazardous for transportation.

Section 15: Regulatory Information

- · <u>U.S. Superfund Amendments & Reauthorization Act (SARA) 355 (Extremely Hazardous Substances):</u>
 Substance is not listed.
- U.S. Superfund Amendments & Reauthorization Act (SARA) 313 (Specific Toxic Chemical Listings): Substance is not listed.
- U.S. Toxic Substances Control Act (TSCA):

Substance is listed.

· California Proposition 65 Carcinogens:

PVC resin contains minor amounts (< 1 ppm on average; 0.0001%) of residual vinyl chloride monomer. Vinyl chloride is listed as a carcinogen under Proposition 65.

75-01-4 vinyl chloride

· ACGIH (American Conference of Governmental Industrial Hygienists) Carcinogens:

A4

· Canadian Domestic Substances List (DSL):

Substance is listed.

Canadian Ingredient Disclosure List (limit 0.1%)

Substance is not listed.

Canadian Ingredient Disclosure List (limit 1%):

Substance is not listed.

- · Container Labeling According to Regulation (EC) No 1272/2008: Not Applicable
- · Hazard Pictograms: Not Applicable
- · Signal Word: Not Applicable
- · Hazard Statements: Not Applicable

Section 16: Other Information

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Formosa Plastics Corporation, U.S.A. at the time it was prepared. Formosa Plastics Corporation, U.S.A. does not assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, Formosa Plastics Corporation, U.S.A. and its subsidiaries cannot guarantee that these (Contd. on Page 7)

Date Printed: 07/31/2017 Version 6 Date Reviewed: 07/31/2017

Product Identifier: Formolon® Suspension PVC Homopolymer Resin

(Contd. from Page 6)

are the only hazards that exist. Formosa Plastics Corporation, U.S.A. assumes no legal responsibility for loss, damage or expense arising out of, or in any way connected with, the handling, storage, use or disposal of this product.

· Department Issuing Safety Data Sheet: Corporate Environment, Health & Safety

Sources & References:

This Safety Data Sheet conforms to regulation 1907/2006/EC (REACH). This product has been classified in accordance with European CLP regulations (1272/2008/EC) and the U.S. Hazard Communication standard (29 CFR 1910.1200).

* - Indicates that data has been updated from the previous version.

FPC -